

MATERIAL SAFETY DATA SHEET

Not classified as Hazardous according to criteria of Worksafe
Australia

EXIT TAG

COMPANY DETAILS	
Company Name:	AGS Anti Graffiti Systems Australia
Address:	(Rear) 3 Queens Road, Hurstville, NSW 2220
Telephone:	9586 4555
Facsimile:	9586 1966
Emergency Telephone:	

IDENTIFICATION	
Product Name:	Exit Tag
Other Names:	N/A
Product Code:	EVS-ETAG
UN Number:	Not Applicable
Hazchem Code:	Not Applicable
Packing Group:	Not applicable
Dangerous Goods Class	Not Applicable
Poisons Schedule	Xn
Subsidiary Risk	Not Applicable

PHYSICAL DESCRIPTION/PROPERTIES	
Appearance:	Pale Amber Liquid
Boiling Point: (°C)	200 Degrees
Vapour Pressure:	40 mmHg @19 ° C
Specific Gravity:(@ 25 °C)	0.96
Flammability Explosive Prop	Not Applicable
Solubility: (@ 25 °C)	Emulsifiable
PH as is	12 - 13

INGREDIENTS Legend:	Low <10% medium 10-60% High >60%	
Chemical Name	CAS Number	Proportion
D-Limonene	5989-27-5	Medium
Benzyl Alcohol	100-51-6	Medium
Non Ionic Surfactant	9016-45-9	Low
Ethanol	64-17-5	Medium

HEALTH HAZARD INFORMATION	
Health Effects	
Swallowed:	If swallowed may cause damage to the gastro-intestinal tract. Ingestion may result in nausea, abdominal irritation, pain and vomiting.
Eye:	Contamination of the eyes with may produce corneal damage.
Skin:	Skin contacts result in loss of natural oils. Prolonged contact may lead to irritant contact dermatitis.
Inhalation:	Prolonged exposure may cause drowsiness. The vapour or mist can be irritating.
Advice to Doctor	Treat symptomatically.
FIRST AID	
Swallowed	Do not induce vomiting. Give glass of water to drink. Seek Medical assistance or contact Poisons information centre.
Eye	If in eyes, hold eyelids apart and flush with water. Continue flushing until advised by Poisons Information Centre or a Doctor, for at least 20 minutes.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water
Inhaled	Remove victim from further exposure. Remove contaminated clothing. Seek medical attention if effects persist. If not breathing, apply artificial respiration.

PRECAUTIONS FOR USE	
Exposure Standards	No adverse health effects are expected if handled in accordance with Material Safety Data Sheet and good general housekeeping
Personal Protection	Safety Glasses with side shields. Rubber Gloves and Overalls for protection. Use with adequate ventilation.
Flammability:	Not Applicable

SAFE HANDLING INFORMATION	
Storage & Transportation: Storage Precautions:	Protect from damage. Store in a cool, dry, well ventilated location. Separate from oxidising materials eg chlorine No smoking areas.
Spills and Disposal	Ventilate area of leak or spill. Remove all sources of ignition. Collect liquid in an appropriate container or absorb with an inert material eg dry sand or earth. Dispose of in suitable sealed containers. Clean area with detergent and water; do not let the product enter drains, sewers or water ways.
Fire/Explosion Hazard	Vapour will be heavier than air. Possible risk of remote ignition. Vapours can flow along surfaces to distant ignition source and flash back. Contact with strong oxidizers may cause fire. Fumes containing carbon dioxide, carbon monoxide and sulphur dioxide may be formed in large fires. Keep containers cool by spraying with water to prevent pressure build up inside the drums.

AGS Anti Graffiti Systems Australia
(Rear) 3 Queens Road, Hurstville, NSW 2220
Ph: 9586 4555 Fax: 9586 1966

We believe that the information herein is reliable, but we shall not be liable for any inaccuracy in the information or for any loss, injury or damage whatsoever or however arising which may result from its use.

-END-
